

STANLEY®



Storage Wall® System

LISTA™
Making Workspace Work.

Storage Wall® System

Start with a Rock-Solid Foundation and Build Up!

A Storage Wall® System can be configured with a combination of drawers, shelves, and roll-out trays to store everything from small parts to boxes and even extremely heavy bulky items.



MODULAR



Six stackable heights

FUNCTIONAL



Six different full sidewall height drawers

VERSATILE



Adjustable drawers, shelves and trays

CUSTOMIZABLE



Customizable drawer layouts

For the optimum use of space, Storage Wall® Systems have it all:

- Drawers to store small parts and components
- Roll-out trays for easy access to large, heavy items
- Shelves to handle larger items
- Doors for additional security and finished appearance

The combination of these modular components means you can store small and large parts together and have easy access to both. It also means your Storage Wall® System can easily accommodate changes and additions and never be outdated.

Storage Wall® System



Capacity

In addition to full use of available ceiling height, the Storage Wall® System gives you maximum weight and cubic volume capacity.

The all-steel construction makes it ideal for supporting a mezzanine.



The Storage Wall® System comes in two different depths.

The full depth 27¾" deep Storage Wall® System is the ideal solution for easily accessible storage of a variety of large and small item.

The shallow depth 21¾" Storage Wall® System excels where aisle and floor space is critical and vertical space can be utilized.


All Storage Wall® Systems can be constructed in a configuration that will meet your storage needs.

Each starter section consists of:

- A pair of matched height vertical side frames
- Joined with appropriate width top and bottom universal panels
- For lateral stability, rear panels or diagonal sway braces are fastened to the side frames
- Rear and end panels can be used to enclose the sections

To add a section, just order an additional vertical side frame and the appropriate universal panels for the section width you are adding.

How to Configure a Storage Wall® System



Length of Storage Wall® Systems

To determine actual Storage Wall length, add together the sections you are assembling and add an additional 2". If end panels are used, add $2\frac{9}{32}$ " for each.

SECTION WIDTH	LENGTH BETWEEN SIDE FRAME CTRS.
standard (36 units)	28 $\frac{1}{8}$ " (714mm)
mid-width (64 units)	46 $\frac{7}{8}$ " (1190mm)
double width (78 units)	56 $\frac{1}{4}$ " (1428mm)
HS width (54 units)	40 $\frac{9}{32}$ " (1020mm)

1. Select Vertical Side Frames.
2. Select universal panels and optional lock system panels.
3. Select rear panel or sway braces and optional end panels.
4. Select drawers, shelves, and roll out trays.
5. Select system options – doors, book cases, etc.
6. Select paint colors.

System frame and panels can be a different color from drawer fronts, but drawer interiors are always gray.

1. **Select Vertical Side Frames** - Heavy duty one-piece vertical uprights with welded horizontal struts. Uprights are slotted at 1" increments for placement of drawers, roll-out trays or shelves.
2. **Select Universal Panels** - Steel sheet universal panels measure 2" (50mm) in height and are fastened to the top and bottom of the vertical side frames to complete each section. Sections with vertical side frames 2200 or greater must have a third intermediate universal panel.
3. **Select Rear Panels or Sway Braces and Optional End Panels** - Rear Panels - Panels are bolted to the vertical side frames to enclose the rear of each section and provide lateral stability.
Sway Braces - Used for units without rear panels to provide the necessary lateral stability. Diagonal braces must be fitted at least every fourth section.
End Panels. These optional steel sheet panels enclose the ends of the completed units. Hardware included.
4. **Select Drawers Shelves and Roll-Out Trays** - Roll-out trays can be mounted in any sequence or combination with drawers and

shelves. Each tray uses the equivalent height of a 100 drawer (100mm high). Trays have full length handles, galvanized insert panels, and $1\frac{3}{4}$ " rear and side retaining walls. Be sure to order trays to match the particular section width and depth you are outfitting.

- Usable depth of tray or shelf is based on system depth and referenced in charts on corresponding sections.
- Heavy Duty Roll-Out Tray - Weight capacity is 770 lbs. for evenly distributed loads.
- Adjustable Shelves - Steel shelves can easily be moved at any time and used in any combination or sequence with drawers and roll-out trays. Shelves are 1" (25mm) high.

5. **Select Storage Wall® accessories, doors book cases etc.** - Shelf Dividers - Steel dividers fit over lip of shelf.
Shelf End Panels - Steel sheet panel provides side wall for shelves.

- Frame Top Fill-In Strip - Steel sheet strip, covers top of vertical side frames to create a smooth continuous surface.
Ladders can be used with hinged & sliding door sets only with additional Ladder/EXT bracket sold separately. **Not for use on vertical tambour doors.**
Hinged Door Sets Max height 2200 - Protect inventory and equipment from dirt and theft with full-height hinged doors.
Sliding Door Sets Max height 3000 - Doors move smoothly on ball bearings.
Vertical Tambour Doors Max height 2500 - Individual Storage Wall sections can be locked with vertical tambour door. Vertical door rides effortlessly on tracks mounted to the vertical side frames and retracts into a box mounted on the top of the section. The box adds 8" to the height of the unit.
6. **Select paint colors** - Reference back cover.

Full Depth Storage Wall® System (27 3/4" Deep - 705mm)

Full depth Storage Wall sections come in three different widths. Section widths correspond to Standard, Mid and Double Width components.

Width dimension are center line to center line of Vertical Side Frames

Standard Width (SC)	Mid-Width (MW)	Double Width (DW)
36U 28 1/4" (714mm)	64U-46 7/8" (1190mm)	78U-56 1/4" (1428mm)

At any time additional sections can be added, and drawers, roll-out trays and shelves can be easily reconfigured to accommodate growth and changing needs.

Ordering

All Basic components are ordered separately from the charts on the following pages. Be sure to match widths and depths of the drawers, shelves, etc. to the section width and depth you are building. For step-by-step directions for ordering, see page 4.

- 36U for SC Width
- 64U for MW Width
- 78U for DW Width

Vertical Side Frames (VSF), End Panels (EP), Inside Panels (IP) & Rear Panels (RP)

Overall System Height	Usable System Height	VSF Part No.	EP Part No.	IP Part No.	36U Wide RP Part No.	64U Wide RP Part No.	78U Wide RP Part No.
39 7/8" (1000mm)	35 7/16" (900mm)	VSF1000	EP1000	IP1000/36U	RP1000/36U	RP1000/64U	RP1000/78U
57 7/8" (1450mm)	53 3/8" (1350mm)	VSF1450	EP1450	IP1450/36U	RP1450/36U	RP1450/64U	RP1450/78U
78 3/4" (2000mm)	74 3/4" (1900mm)	VSF2000	EP2000	IP2000/36U	RP2000/36U	RP2000/64U	RP2000/78U
86 5/8" (2200mm)	80 3/4" (2050mm)	VSF2200	EP2200	IP2200/36U	RP2200/36U	RP2200/64U	RP2200/78U
98 7/16" (2500mm)	92 1/2" (2350mm)	VSF2500	EP2500	IP2500/36U	RP2500/36U	RP2500/64U	RP2500/78U
118 7/8" (3000mm)	112 1/4" (2850mm)	VSF3000	EP3000	IP3000/36U	RP3000/36U	RP3000/64U	RP3000/78U

Sway Braces (SB), Universal Panels (UP), Universal Mounting Panels (UMP) & Adjustable Shelves (AS)

Section Width	SB Part No.	UP Part No.	UMP Part No.	AS Part No.	Usable Width for UP, UMP & AS	Usable Depth for UP, UMP & AS
36U	SB36u	UP/36U	UP/36U-UM	AS-P/36U	26" (661mm)	27 1/2" (699mm)
64U	SB64U	UP/64U	UP/64U-UM	AS-P/64U	44 3/4" (1137mm)	27 1/2" (699mm)
78U	SB78U	UP/78U	UP/78U-UM	AS-P/78U	54 1/8" (1375mm)	27 1/2" (699mm)
Capacities		550 lbs. (250kg)	550 lbs. (250kg)	440 lbs. (200kg)		

Drawers and Trays - Capacity = 440 lbs (200kg)

Usable Height	Part No.	Part No.	Part No.
2.17" (55mm)	SC75F	MW75F	DW75F
3.15" (80mm)	SC100F	MW100F	DW100F
4.13" (105mm)	SC125F	MW125F	DW125F
5.12" (130mm)	SC150F	MW150F	DW150F
6.10" (155mm)	SC175F	MW175F	DW175F
7.09" (180mm)	SC200F	MW200F	DW200F
8.07" (205mm)	SC225F	MW225F	DW225F
9.06" (230mm)	SC250F	MW250F	DW250F
10.04" (255mm)	SC275F	MW275F	DW275F
11.02" (280mm)	SC300F	MW300F	DW300F
12.01" (305mm)	SC325F	MW325F	DW325F
12.99" (330mm)	SC350F	MW350F	DW350F
Uses 100 points	SC-TCF	MW-TCF	DW-TCF
Usable Width	24" (610mm)	42 3/4" (1086mm)	52 1/8" (1324mm)
Usable Depth	24" (610mm)	24" (610mm)	24" (610mm)

Heavy duty roll out trays, 770 lbs. (350kg) are available by contacting 1-800-722-3020.

Accessories

Item	Part No.	Height	Spacing
Shelf End Panels	X684/3	6" (150mm)	8" (200mm)
	X684/5	8" (200mm)	10" (250mm)
	X684/7	10" (250mm)	12" (300mm)
Item	Part No.	Height	
Shelf Dividers	SWSD100/36	4" (100mm)	
	SWSD150/36	6" (150mm)	
	SWSD200/36	8" (200mm)	
Self-Adhesive Label Holder	18.926	4 1/8" (105mm)	
	18.927	8 1/4" (201mm)	
	18.929	39 3/8" (1000mm)	
Frame Top Fill-In Strip	X699		
Intermediate Fill-In Strip	X700		

Shallow Depth Storage Wall® System (21 ¾" Deep - 502mm)

Shallow depth Storage Wall sections come in two different widths. Section widths correspond to ST and HS Width components.

Width dimension are center line to center line of Vertical Side Frames

Service Truck Width (ST)	HS-Width (HS)
36U 28¼" (714mm)	54U-40⅞" (1020mm)

At any time additional sections can be added, and drawers, roll-out trays and shelves can be easily reconfigured to accommodate growth and changing needs.

Ordering

All Basic components are ordered separately from the charts on the following pages. Be sure to match the widths and depths of the drawers, shelves, etc. to the section width and depth you are building. For step-by-step directions for ordering, see page 4.

- 36U for ST • 54U for HS

Vertical Side Frames (VSF), End Panels (EP), Inside Panels (IP) & Rear Panels (RP)

Overall System Height	Usable System Height	VSF Part No.	EP Part No.	IP Part No.	36U Wide RP Part No.	54U Wide RP Part No.
39⅜" (1000mm)	35⅞" (900mm)	VSF1000/B255	EP1000/B255	IP1000/27U	RP1000/36U	RP1000/54U
57⅞" (1450mm)	53⅞" (1350mm)	VSF1450/B255	EP1450/B255	IP1450/27U	RP1450/36U	RP1450/54U
78¾" (2000mm)	74¾" (1900mm)	VSF2000/B255	EP2000/B255	IP2000/27U	RP2000/36U	RP2000/54U
86⅝" (2200mm)	80¾" (2050mm)	VSF2200/B255	EP2200/B255	IP2200/27U	RP2200/36U	RP2200/54U
98⅞" (2500mm)	92½" (2350mm)	VSF2500/B255	EP2500/B255	IP2500/27U	RP2500/36U	RP2500/54U
118⅞" (3000mm)	112¼" (2850mm)	VSF3000/B255	EP3000/B255	IP3000/27U	RP3000/36U	RP3000/54U

Sway Braces (SB), Universal Panels (UP), Universal Mounting Panels (UMP) & Adjustable Shelves (AS)

Section Width	SB Part No.	UP Part No.	UMP Part No.	AS Part No.	Usable Width for UP, UMP & AS	Usable Depth for UP, UMP & AS
36U (ST)	SB36u	UP/3627U	UP/3627U-UM	AS-P/3627U	26" (661mm)	21½" (546mm)
54U (HS)	SB54U	UP/54U	UP/54U-UM	AS-P/54U	38" (967mm)	21½" (546mm)
Capacities		550 lbs. (250kg)	550 lbs. (250kg)	440 lbs. (200kg)		

Drawers & Trays Capacity 440 lbs. (200kg)

Usable Height	Part No.	Part No.
2.17" (55mm)	ST75F	HS75F
3.15" (80mm)	ST100F	HS100F
4.13" (105mm)	ST125F	HS125F
5.12" (130mm)	ST150F	HS150F
6.10" (155mm)	ST175F	HS175F
7.09" (180mm)	ST200F	HS200F
8.07" (205mm)	ST225F	HS225F
9.06" (230mm)	ST250F	HS250F
10.04" (255mm)	ST275F	HS275F
11.02" (280mm)	ST300F	HS300F
12.01" (305mm)	ST325F	HS325F
12.99" (330mm)	ST350F	HS350F
Uses 100 points	ST-TCF	HS-TCF
Usable Width	24" (610mm)	42¾" (1086mm)
Usable Depth	18" (457mm)	18" (457mm)

Heavy duty roll out trays, 770 lbs. (350kg) Are available by contacting 1-800-722-3020.

Accessories

Item	Part No.	Height	Spacing
Shelf End Panels	X612/3	6" (150mm)	8" (200mm)
	X612/5	8" (200mm)	10" (250mm)
	X612/7	10" (250mm)	12" (300mm)
Item	Part No.	Height	
Shelf Dividers	SWSD100/27	4" (100mm)	
	SWSD150/27	6" (150mm)	
	SWSD200/27	8" (200mm)	
Self-Adhesive Label Holder	18.926	4⅞" (105mm)	
	18.927	8¾" (201mm)	
	18.929	39⅝" (1000mm)	
Frame Top Fill-In Strip	X611		
Intermediate Fill-In Strip	X610		

Storage Wall® System Doors

Storage Wall doors come in three different styles. They are Vertical Tambour Door, Sliding Door Sets and Hinged Door Sets. Vertical Tambour and Hinged Doors cover a single Storage Wall section. Sliding Doors cover two sections and must be of equal width (a triple section can be ordered for odd number of bays by contacting 1-800-722-3020). All doors are available in 36U (SC&ST) width, 54U (HS) width, 64U (MW) width and 78U (DW) width. Doors can be added to existing sections to accommodate your changing needs.

Ordering

Hinged and Sliding Door Sets are sold as on as starter and adder concept for running in a series. Vertical Tambour Doors are sold for single section and can be run in series as well. For additional information please contact 1-800-722-3020.

- 36U for SC/ST
- 54U for HS
- 64U for MW
- 78U for DW

Vertical Tambour Doors

Item	Overall Height	Part No.
36U Wide Door Set Standard Width (SC)	69 ³ / ₃₂ " (1755mm)	VD1450/36-AL
	90 ³ / ₄ " (2305mm)	VD2000/36-AL
	98 ⁵ / ₈ " (2505mm)	VD2200/36-AL
	110 ⁷ / ₁₆ " (2805mm)	VD2500/36-AL
54U Wide Door Set HS-Width (HS)	69 ³ / ₃₂ " (1755mm)	VD1450/54-AL
	90 ³ / ₄ " (2305mm)	VD2000/54-AL
	98 ⁵ / ₈ " (2505mm)	VD2200/54-AL
	110 ⁷ / ₁₆ " (2805mm)	VD2500/54-AL
64U Wide Door Set Mid-Width (MW)	69 ³ / ₃₂ " (1755mm)	VD1450/64-AL
	90 ³ / ₄ " (2305mm)	VD2000/64-AL
	98 ⁵ / ₈ " (2505mm)	VD2200/64-AL
	110 ⁷ / ₁₆ " (2805mm)	VD2500/64-AL
78U Wide Door Set Double Width (DW)	69 ³ / ₃₂ " (1755mm)	VD1450/78-AL
	90 ³ / ₄ " (2305mm)	VD2000/78-AL
	98 ⁵ / ₈ " (2505mm)	VD2200/78-AL
	110 ⁷ / ₁₆ " (2805mm)	VD2500/78-AL

How to order Storage Wall doors

1. Select door style.
2. Select lock type.
RG = individual — **KA** = keyed-alike — **MA** = master

EXAMPLE: to order sliding doors for a Storage Wall section that has a 2500 height vertical side frame (100⁵/₈" high) and is 36 units wide with an individual lock, the part number for the starter door would be SD2500/36U-S-RG, and the part number for the adder door would be SD2500/36U-A-RG.

Vertical Tambour Door Full Height End Panels

Overall Height	Full Depth 36U	Shallow Depth 27U
69 ³ / ₃₂ " (1755mm)	EP1450/VD-AL	EP1450/VD-AL/B255
90 ³ / ₄ " (2305mm)	EP2000/VD-AL	EP2000/VD-AL/B255
98 ⁵ / ₈ " (2505mm)	EP2200/VD-AL	EP2200/VD-AL/B255
110 ⁷ / ₁₆ " (2805mm)	EP2500/VD-AL	EP2500/VD-AL/B255

For use on left and/or right side of Storage Wall and can only be used at row ends.

Sliding Door Starter and Adder Sets

Item	Overall Height	Starter Set Part No.	Adder Set Part No.
36U Wide Door Set Standard Width (SC)	79 ¹ / ₈ " (2010mm)	SD2000/36-S	SD2000/36-A
	87" (2210mm)	SD2200/36-S	SD2200/36-A
	98 ¹³ / ₁₆ " (2510mm)	SD2500/36-S	SD2500/36-A
	118 ¹ / ₂ " (3010mm)	SD3000/36-S	SD3000/36-A
54U Wide Door Set HS-Width (HS)	79 ¹ / ₈ " (2010mm)	SD2000/54-S	SD2000/54-A
	87" (2210mm)	SD2200/54-S	SD2200/54-A
	98 ¹³ / ₁₆ " (2510mm)	SD2500/54-S	SD2500/54-A
	118 ¹ / ₂ " (3010mm)	SD3000/54-S	SD3000/54-A
64U Wide Door Set Mid-Width (MW)	79 ¹ / ₈ " (2010mm)	SD2000/64-S	SD2000/64-A
	87" (2210mm)	SD2200/64-S	SD2200/64-A
	98 ¹³ / ₁₆ " (2510mm)	SD2500/64-S	SD2500/64-A
	118 ¹ / ₂ " (3010mm)	SD3000/64-S	SD3000/64-A
78U Wide Door Set Double Width (DW)	79 ¹ / ₈ " (2010mm)	SD2000/78-S	SD2000/78-A
	87" (2210mm)	SD2200/78-S	SD2200/78-A
	98 ¹³ / ₁₆ " (2510mm)	SD2500/78-S	SD2500/78-A
	118 ¹ / ₂ " (3010mm)	SD3000/78-S	SD3000/78-A

Hinged Door Starter and Adder Sets

Item	Overall Height	Starter Set Part No.	Adder Set Part No.
36U Wide Door Set Standard Width (SC)	78 ³ / ₄ " (2000mm)	DHD2000/36SW-S	DHD2000/36SW-A
	86 ⁵ / ₈ " (2200mm)	DHD2200/36SW-S	DHD2200/36SW-A
54U Wide Door Set HS-Width (HS)	78 ³ / ₄ " (2000mm)	DHD2000/54SW-S	DHD2000/54SW-A
	86 ⁵ / ₈ " (2200mm)	DHD2200/54SW-S	DHD2200/54SW-A
64U Wide Door Set Mid-Width (MW)	78 ³ / ₄ " (2000mm)	DHD2000/64SW-S	DHD2000/64SW-A
	86 ⁵ / ₈ " (2200mm)	DHD2200/64SW-S	DHD2200/64SW-A
78U Wide Door Set Double Width (DW)	78 ³ / ₄ " (2000mm)	DHD2000/78SW-S	DHD2000/78SW-A
	86 ⁵ / ₈ " (2200mm)	DHD2200/78SW-S	DHD2200/78SW-A

Additional Industries Served:

Leading companies in every industry are using Lista workbenches, storage systems and cabinets. From Manufacturing to Medical and more, they're making their workspace work with Lista. Just imagine what we can do for you!

Industry Solutions



Manufacturing



Maintenance & Repair



Government



Vehicle & Engine Service & Repair



Aviation Service & Repair



Education & Training




Medical



Specialty Solutions

Lista Color Options: Durable and tough, to match your brand.

All Lista products feature a high-quality, durable powder coat finish that is smooth, uniform and attractive. Gloss and semi-gloss finishes are available. For specific color matching or OEM colors, please contact Lista Customer Service at 800-722-3020 for details.



Visit Lista online:

www.ListaIntl.com

1-800-722-3020

Fax: (508) 626-0353

Email: swssalesleads@sbdinc.com

©2014 Lista. Printed in U.S.A.

Lista® Making Workspace Work®, Align®, Arlink®, Definite Positioning System®, PrevenTip®, Shelf Converter® and Storage Wall® are registered trademarks of Lista. All other registered trademarks are the property of their respective owners.

LISTA™

Making Workspace Work.

Storage & Workspace Systems was formed in January 2012 with the merger of two of the strongest brands in engineered storage and custom workspace applications — STANLEYVidmar and Lista. Vidmar, acquired by The STANLEY Works in 1962, and Lista, a 2012 SBD acquisition, are the premier manufacturers of made-to-order modular cabinets in addition to a number of other powerful storage and workspace brands including STAK®, Arlink®, And Modular®. Storage & Workspace Systems products serve multiple industries including Military and Government, Automotive, Manufacturing, Agricultural, Electronic and Laboratory applications.

QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV
ISO 9001:2008

