

The workstation components shown on this page are pre-configured to include our most popular and versatile Arlink 8000 workstation styles. To design a custom workstation to suit your exact needs, see pages 20-21.

Arlink 8000 workstations consist of a starter section, and as many adder sections as you need for your application.

Select from single- or double-sided starters, adders, or corners in all standard section widths and heights. You may also choose either 28" - or 30" -deep worksurfaces in either plastic laminate or static dissipative laminate. Easy-Order sections include all accessories shown in the charts to the right. To order additional accessories, please see pages 22-28.

## How to order an Easy-Order Arlink 8000 workstation section

Follow the 6 steps below for starter section and repeat for each adder section.

### 1. Select Easy-Order section configuration.

- A-SS** = single-sided starter
- A-SA** = single-sided adder
- A-SC** = single-sided corner adder
- A-DS** = double-sided starter
- A-DA** = double-sided adder
- A-DC** = double-sided corner adder

### 2. ■ Select section length.\*

- 30** = 30" long
- 36** = 36" long
- 48** = 48" long
- 60** = 60" long
- 72** = 72" long
- \*corner adders 36" long only

### 3. ■ Select section height.

- 54** = 54" high\*
- 72** = 72" high
- 84** = 84" high
- \*54" high sections do not include light assemblies

### 4. ■ Select section depth.

- 28** = 28" deep
- 30** = 30" deep

### 5. ■ Select worksurface material.

- SL** = plastic laminate
- SD** = static dissipative plastic laminate

### 6. ■ Select powder coat paint color.

- LG** = Light Gray
- SN** = Sand

**EXAMPLE:** to order a starter single-sided workstation section that is 60" long, 84" high and 30" deep with a plastic laminate worksurface and Sand paint, the part number would be **A-SS608430LSN**.

To order an adder single-sided workstation section that is 48" long, 84" high and 30" deep with a plastic laminate worksurface and Sand paint, the part number would be **A-SA488430LSN**.

To order an adder single-sided corner section that is 84" high and 30" deep with a plastic laminate worksurface and Sand paint, the part number would be **A-SC368430LSN**. (When ordering an "L" shaped configuration, 2 starters must be used with a corner adder.)



## A-SS Single-sided starter

- Includes:
- 1 starter assembly (see page 20)
  - 1 footrest
  - 2 outriggers
  - 1 worksurface assembly
  - 1 single-sided power beam (15 amp)
  - 1 open wire shelf, 12" depth
  - 1 light fixture assembly
  - 1 parabolic light diffuser

## A-SA Single-sided adder

- Includes:
- 1 adder assembly (see page 20)
  - 1 footrest
  - 1 outrigger
  - 1 worksurface assembly
  - 1 single-sided power beam (15 amp)
  - 1 open wire shelf, 12" depth
  - 1 light fixture assembly
  - 1 parabolic light diffuser

## A-SC Single-sided corner adder

- Includes:
- 1 adder assembly, 36"
  - 1 outrigger
  - 1 corner worksurface assembly
  - 1 single-sided power beam (15 amp)
  - 1 open wire shelf, 12" depth
  - 1 light fixture assembly
  - 1 parabolic light diffuser

## A-DS Double-sided starter

- Includes:
- 1 starter assembly (see page 20)
  - 2 footrests
  - 4 outriggers
  - 2 worksurface assemblies
  - 1 double-sided power beam (15 amp)
  - 2 open wire shelves, 12" depth
  - 2 light fixture assemblies
  - 2 parabolic light diffusers

## A-DA Double-sided adder

- Includes:
- 1 adder assembly (see page 20)
  - 2 footrests
  - 2 outriggers
  - 2 worksurface assemblies
  - 1 double-sided power beam (15 amp)
  - 2 open wire shelves, 12" depth
  - 2 light fixture assemblies
  - 2 parabolic light diffusers

## A-DC Double-sided corner adder

- Includes:
- 1 adder assembly, 36"
  - 2 outriggers
  - 2 corner worksurface assemblies
  - 1 double-sided power beam (15 amp)
  - 2 open wire shelves, 12" depth
  - 2 light fixture assemblies
  - 2 parabolic light diffusers

Model ALE workstations include an Align rear-justified motorized base. Model ALC workstations include an Align rear-justified crank base.

See page 36 for hanging cabinet descriptions.

## How to order an Easy-Order Align Adjustable Height Workstation

1. Select Easy-Order workstation configuration.

2.  Select worksurface style.

See page 42 for worksurface descriptions.

- PLB** = Plastic laminate
- BTB** = Butcher block
- SDB** = Static dissipative (includes ground cord and hardware)

All worksurfaces have a bullnose front edge and are 30" deep.

3.  Select worksurface size.

- 6030** = 60" long x 30" deep
- 7230** = 72" long x 30" deep

4.  Select paint color. Add 2-letter paint code shown in color chart on back cover.


5.  Select lock type for models with hanging cabinet.

- RG** = individual
- KA** = keyed-alike
- MA** = master

**EXAMPLE:** to order an ALE/R5201 workstation with a 72" long plastic laminate worksurface and shelf and Classic Blue paint, with an individual lock for the hanging cabinet, the part number would be **ALE/R5201-PLB7230CB**, with a **WBHC450-2-RG** hanging cabinet.

### Workstations with Worksurface

To add Easy-Order Nexus System configuration to workstations with worksurface shown below, see pages 84-85.




PART NO.	DESCRIPTION
ALE/R5000- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	motorized
ALC/R5000- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	hand crank

### Workstations with Adjustable Riser Shelf

Includes:

- worksurface back stop
- adjustable riser shelf with back stop




PART NO.	DESCRIPTION
ALE/R5001- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	motorized
ALC/R5001- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	hand crank

### Workstations with Instrument Riser Shelf

Includes:


- (2) 16" instrument riser supports (1 with power)
- 12" deep instrument riser shelf
- worksurface and shelf back stops




PART NO.	DESCRIPTION
ALE/R5002- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	motorized
ALC/R5002- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	hand crank



PART NO.	INCLUDES
ALE/R5100- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5100- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet




PART NO.	INCLUDES
ALE/R5101- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5101- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet




PART NO.	INCLUDES
ALE/R5102- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5102- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1- <input checked="" type="checkbox"/> hanging cabinet



PART NO.	INCLUDES
ALE/R5200- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5200- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet



PART NO.	INCLUDES
ALE/R5201- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5201- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet



PART NO.	INCLUDES
ALE/R5202- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet
ALC/R5202- <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC450-2- <input checked="" type="checkbox"/> hanging cabinet

Easy-Order technical electronic workstations include Narrow Width (16 7/8" wide) cabinet pedestals (see page 61 for descriptions). Customer-specified cabinet pedestals (shown in gray) must be ordered separately – for Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets. For more information on overhead cabinets, see Lista's General Storage Catalog.

## How to order an Easy-Order Technical Electronic Workstation

1. Select Easy-Order workstation configuration.

2. ■ Select worksurface style. See page 42 for descriptions.

- PLB** = Plastic laminate
- BTB** = Butcher block
- SDB** = Static dissipative (includes ground cord and hardware)

All worksurfaces have a bull-nose front edge and are 30" deep.

3. ■ Select worksurface size.

- 4830** = 48" long x 30" deep
- 6030** = 60" long x 30" deep
- 7230** = 72" long x 30" deep

4. □ Select paint color. For color chart, see back cover or below.

**EXAMPLE:** to order a TB3201 workstation with a 72" long plastic laminate worksurface and shelf and Bright Blue paint, the part number would be **TB3201-PLB7230BB**.

5. Select cabinet pedestals (for TB03xx and TB06xx configurations). For Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets.

**EXAMPLE (CUSTOMER-SPECIFIED CABINETS):** to order a TB0300 workstation with a 72" long plastic laminate worksurface, and an NW0750-0601NA cabinet pedestal with Bright Blue paint, the workstation part number would be **TB0300-PLB7230BB**, and the cabinet part number would be **NW0750-0601NA-NBRGBB**.


### Workstations with 2 Tech Legs

Overall bench height including work surface is 35 1/4". Includes:


- 2 tech panel legs (legs 33 1/2" high)
- 1 pair of top support rails
- 1 stringer




PART NO.  
TB3000-■□□



PART NO. INCLUDES  
TB3001-■□□ 12" adj. riser shelf w/back stop workstation back stop



PART NO. INCLUDES  
TB3002-■□□ (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



PART NO. INCLUDES  
TB3003-■□□ 15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet


### Workstations with 2 Tech Legs and 1 Drawer

Overall bench height including work surface is 35 1/4". Includes:

- 2 tech panel legs (legs 33 1/2" high)
- 1 pair of top support rails
- 1 stringer
- 1 WBHC150-1 hanging cabinet




PART NO.  
TB3100-■□□



PART NO. INCLUDES  
TB3101-■□□ 12" adj. riser shelf w/back stop workstation back stop



PART NO. INCLUDES  
TB3102-■□□ (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



PART NO. INCLUDES  
TB3103-■□□ 15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

### Workstations with 1 Tech Leg and 1 Cabinet

Overall bench height including work surface is 35 1/4". Includes:

- 1 tech panel leg (leg 33 1/2" high)
- 1 pair of top support rails
- 1 stringer
- 1 NW0600-0402NA-F6RG cabinet




PART NO.  
TB3200-■□□



PART NO. INCLUDES  
TB3201-■□□ 12" adj. riser shelf w/back stop workstation back stop



PART NO. INCLUDES  
TB3202-■□□ (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



PART NO. INCLUDES  
TB3203-■□□ 15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

### Workstations with 1 Leg, 1 Customer-Specified Cab.

Overall bench height including work surface is 35 1/4". Includes:

- 1 tech panel leg (leg 33 1/2" high)
- 1 pair of top support rails
- 1 stringer
- cabinet pedestal chosen by customer




**PART NO.**  
TB0300-



**PART NO.**      **INCLUDES**  
TB0301-    12" adj. riser shelf w/back stop workstation back stop



**PART NO.**      **INCLUDES**  
TB0302-    (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



**PART NO.**      **INCLUDES**  
TB0303-    15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

### Workstations with 2 Cabinets


Overall bench height including work surface is 35 1/4". Includes:

- 1 NW0600-0402NA-F6KA cabinet\*
- 1 NW0600-0202NA-F6KA cabinet\*

\*includes keyed-alike locks



**PART NO.**  
TB3400-



**PART NO.**      **INCLUDES**  
TB3401-    12" adj. riser shelf w/back stop workstation back stop



**PART NO.**      **INCLUDES**  
TB3402-    (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



**PART NO.**      **INCLUDES**  
TB3403-    15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

Overall bench height including work surface is 35 1/4". Includes:

- 1 NW0600-0501NA-F6KA cabinet\*
- 1 NW0600-0201N-F6KA cabinet\*

\*includes keyed-alike locks




**PART NO.**  
TB3500-



**PART NO.**      **INCLUDES**  
TB3501-    12" adj. riser shelf w/back stop workstation back stop



**PART NO.**      **INCLUDES**  
TB3502-    (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



**PART NO.**      **INCLUDES**  
TB3503-    15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

### Workstations with 2 Customer-Specified Cabinets

Overall height including work surface is 35 1/4". Includes:

- 2 cabinet pedestals chosen by customer




**PART NO.**  
TB0600-



**PART NO.**      **INCLUDES**  
TB0601-    12" adj. riser shelf w/back stop workstation back stop



**PART NO.**      **INCLUDES**  
TB0602-    (2) 16" instrument riser supports (1 with power) 12" deep instru. riser shelf worksta. + shelf back stops



**PART NO.**      **INCLUDES**  
TB0603-    15" deep station. riser shelf with louvered back panel (2) 16" high overhead cabs with retractable doors\*

\*48" long benches include (1) overhead cabinet

Easy-Order workbenches include MP Width (22 3/16" wide) cabinet pedestals (see page 67 for description). Customer-specified cabinet pedestals (shown in gray) must be ordered separately – for Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets.

## How to order an Easy-Order Industrial Workbench

1. Select Easy-Order workbench configuration.

2. ■ Select worksurface style. See page 56 for descriptions.

- LTS = Lista Top
- GLS = Galvanized steel
- PLS = Plastic laminate
- BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. ■ Select worksurface size.

- 4830 = 48" long x 30" deep
- 6030 = 60" long x 30" deep
- 7230 = 72" long x 30" deep

4.  Select paint color. For color chart, see back cover or below.

**EXAMPLE:** to order a WB1201 workbench with a 72" long plastic laminate worksurface and Bright Blue paint, the part number would be **WB1201-PLS7230BB**.

5. Select cabinet pedestals (for WB03xx and WB06xx configurations). For Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets.

**EXAMPLE (CUSTOMER-SPECIFIED CABINETS):** to order a WB0300 workbench with a 72" long plastic laminate worksurface, and an MP0750-0601NA cabinet pedestal with Bright Blue paint, the workbench part number would be **WB0300-PLS7230BB**, and the cabinet part number would be **MP0750-0601NA-NBRGGB**.

### Workbenches with 2 Lista Legs

Overall bench height including worksurface is 35 1/4". Includes:

- 2 Lista Legs (legs are 33 1/2" high)
- 1 stringer



PART NO.

WB1000- ■ ■

### Workbenches with 2 Lista Legs and 1 Drawer

Overall bench height including worksurface is 35 1/4". Includes:

- 2 Lista Legs (legs are 33 1/2" high)
- 1 stringer
- 1 WBHC150-1 hanging cabinet



PART NO.

WB1100- ■ ■

### Workbenches with 1 Lista Leg and 1 Cabinet

Overall bench height including worksurface is 35 1/4". Includes:

- 1 Lista Leg (leg is 33 1/2" high)
- 1 stringer
- 1 MP0600-0402NA-F6RG cabinet



PART NO.

WB1200- ■ ■



PART NO.

WB1001- ■ ■  back stop and end stops



PART NO.

WB1101- ■ ■  back stop and end stops



PART NO.

WB1201- ■ ■  back stop and end stops



PART NO.

WB1002- ■ ■  stationary riser shelf with back stop + full rear panel workbench end stops




PART NO.

WB1102- ■ ■  stationary riser shelf with back stop + full rear panel workbench end stops




PART NO.

WB1202- ■ ■  stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

WB1003- ■ ■  12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

WB1103- ■ ■  12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

WB1203- ■ ■  12" adjustable riser shelf with back stop workbench back stop and end stops

### Workbenches with 1 Leg and 1 Customer-Specified Cabinet

Overall bench height including work-surface is 35 1/4". Includes:

- 1 Lista Leg (leg is 33 1/2" high)
- 1 stringer
- cabinet pedestal chosen by customer



**PART NO.**  
WB0300-

### Workbenches with 2 Cabinets

Overall bench height including work-surface is 35 1/4". Includes:

- 1 MP0600-0402NA-F6KA cabinet\*
  - 1 MP0600-0202NA-F6KA cabinet\*
- \*includes keyed-alike locks



**PART NO.**  
WB1400-

Overall bench height including work-surface is 35 1/4". Includes:

- 1 MP0600-0501NA-F6KA cabinet\*
  - 1 MP0600-0204D-F6KA cabinet\*
- \*includes keyed-alike locks



**PART NO.**  
WB1500-

### Workbenches with 2 Customer-Specified Cabinets

Overall bench height including work-surface is 35 1/4". Includes:

- 2 cabinet pedestals chosen by customer



**PART NO.**  
WB0600-



**PART NO.**      **INCLUDES**  
WB0301-    back stop and end stops




**PART NO.**      **INCLUDES**  
WB1401-    back stop and end stops



**PART NO.**      **INCLUDES**  
WB1501-    back stop and end stops



**PART NO.**      **INCLUDES**  
WB0601-    back stop and end stops



**PART NO.**      **INCLUDES**  
WB0302-    stationary riser shelf with  
back stop + full rear panel  
workbench end stops




**PART NO.**      **INCLUDES**  
WB1402-    stationary riser shelf with  
back stop + full rear panel  
workbench end stops



**PART NO.**      **INCLUDES**  
WB1502-    stationary riser shelf with  
back stop + full rear panel  
workbench end stops



**PART NO.**      **INCLUDES**  
WB0602-    stationary riser shelf with  
back stop + full rear panel  
workbench end stops




**PART NO.**      **INCLUDES**  
WB0303-    12" adjustable riser shelf  
with back stop  
workbench back stop and  
end stops



**PART NO.**      **INCLUDES**  
WB1403-    12" adjustable riser shelf  
with back stop  
workbench back stop and  
end stops



**PART NO.**      **INCLUDES**  
WB1503-    12" adjustable riser shelf  
with back stop  
workbench back stop and  
end stops



**PART NO.**      **INCLUDES**  
WB0603-    12" adjustable riser shelf  
w/back stop  
workbench back stop and  
end stops

Easy-Order mobile workbenches include MP Width (22 3/16" wide) cabinet pedestal (see page 68 for description). They include 2 fixed and 2 swivel 6" x 2" casters with wheel locks.

## How to order an Easy-Order Industrial Mobile Workbench

1. Select Easy-Order workbench configuration.

2. ■ Select worksurface style.

See page 56 for descriptions.

LTS = Lista Top

GLS = Galvanized steel

PLS = Plastic laminate

BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. ■ Select worksurface size.

4830 = 48" long x 30" deep

6030 = 60" long x 30" deep

7230 = 72" long x 30" deep

4. □ Select paint color. For color chart, see back cover or below.

**EXAMPLE:** to order a WB2201 workbench with a 72" long plastic laminate worksurface and Bright Blue paint, the part number would be **WB2201-PLS7230BB**.

### Mobile Workbenches with 2 Lista Mobile Legs

Overall bench height including work-surface is 35 1/4". Includes:

- 2 Lista Mobile Legs (legs are 33 1/2" high)
- 1 stringer



PART NO.

WB2000- ■ ■ □

### Mobile Workbenches with 2 Mobile Legs and 1 Drawer

Overall bench height including work-surface is 35 1/4". Includes:

- 2 Lista Mobile Legs (legs are 33 1/2" high)
- 1 stringer
- 1 WBHC150-1 hanging cabinet



PART NO.

WB2100- ■ ■ □

### Mobile Workbenches with 1 Mobile Leg and 1 Cabinet

Overall bench height including work-surface is 37 1/4". Includes:

- 1 Lista Mobile Leg (leg is 35 1/2" high)
- 1 stringer
- 1 MP0600-0402NA cabinet



PART NO.

WB2200- ■ ■ □



PART NO.

WB2001- ■ ■ □ back stop and end stops



PART NO.

WB2101- ■ ■ □ back stop and end stops



PART NO.

WB2201- ■ ■ □ back stop and end stops



PART NO.

WB2002- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops




PART NO.

WB2102- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops




PART NO.

WB2202- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops




PART NO.

WB2003- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

WB2103- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

WB2203- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops

## Mobile Workbenches with 1 Mobile Leg and 1 Cabinet

Overall bench height including work-surface is 37 1/4". Includes:

- 1 Lista Mobile Leg (leg is 35 1/2" high)
- 1 stringer
- 1 MP0600-0202NA cabinet



PART NO.

WB2300-

Overall bench height including work-surface is 37 1/4". Includes:

- 1 Lista Mobile Leg (leg is 35 1/2" high)
- 1 stringer
- 1 MP0600-0501NA cabinet



PART NO.

WB2400-



PART NO.

INCLUDES

WB2301-    back stop and end stops



PART NO.

INCLUDES


WB2401-    back stop and end stops



PART NO.

INCLUDES


WB2302-    stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES


WB2402-    stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB2303-    12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB2403-    12" adjustable riser shelf with back stop workbench back stop and end stops



*This corporate aircraft operator wanted to upgrade its maintenance facility to match the quality of its aircraft. Several mobile benches, including this mobile inspection station, are used in the company's hangar and support shop.*



*The mobile workbench used at this electronic repair facility brings repair tools and parts right to the point of use, without sacrificing durability and drawer storage space. The companion mobile storage cabinet (designed to be stored between the workbench cabinet pedestals) adds to the flexibility of this arrangement. For information on ordering mobile workbenches with two cabinet pedestals, contact your Lista distributor.*